Test Group Summary Report C73 Residual Solvents in Oil October 2024 PT Round

Issued: November 27, 2024



Table of Contents

1.0	The Proficiency Testing Report	1
2.0	Definitions	1
3.0	Scoring System	1
3.1	Homogeneity and Stability Assessment	2
3.2	The z score	2
3.2	Composite (PT) Score	2
3.3	Identifying Bias	2
3.4	Deviations from Evaluation Procedure	3
4.0	PT Round Specific Data Summary	3
4.1	Summary statistics	3
4.2	z- Score Plots	3
4.3	kernel density plots	3
4.4	stability and homogeneity Plots	3
4.5	Box-and-Whisker Plots	3
4.6	Historic Comparison Plot	3

i

1.0 The Proficiency Testing Report

The Proficiency Testing Report consists of two parts.

- PTC Proficiency Testing Report: This report contains participant-specific data and other confidential information. This report is emailed to participants at the end of the PT round.
- Test Group Summary Report: A Test Group Summary Report is created for each quantified test group at
 the end of the PT round. These reports contain more detailed information on the round than is found in
 the participant-specific PTC Proficiency Testing Report. These reports do not contain any confidential
 information and are made available on the PTC web site.

2.0 Definitions

The participant-specific PTC Proficiency Testing Report contains some terms that new participants may not be familiar with.

Code: The registration code that is unique to each analyte that a participant is registered for.

App: If a participant is accredited by CALA, this three-digit number is the appendix number that

the accredited method is assigned to.

N: The number of participants results that were used to calculate the summary statistics. This

excludes qualified data (e.g., <) and any results that were flagged as outliers.

Assigned: The Assigned Value is the robust mean of the reported results, outliers excluded. This is

often referred to as the "target" value.

 $\underline{+}u$: The uncertainty of the assigned value.

Reported: The result reported by the participant.

s: The Standard Deviation of Proficiency Assessment (SDPA). This value is used to determine

the acceptance limits for the PT evaluation.

z-Score: A value assigned to each reported result that is a measure of the degree to which it deviates

from the Assigned Value.

Score: The composite score of the four results reported for each analyte. It is normalized to a score

out of 100.

Bias: A flag assigned if bias is detected using the re-scaled z-score procedure.

3.0 Scoring System

Participant performance is evaluated for each proficiency testing sample by a quantitative method that is consistent with ISO/IEC 17043 - Conformity assessment- General requirements for the competence of proficiency testing providers, the International Harmonized Protocol for Proficiency Testing of (Chemical) Analytical Laboratories (2006), and ISO 13528:2015 Statistical methods for use in proficiency testing by interlaboratory comparisons.

The following is a brief description of the evaluation procedure used by PTC. The detailed evaluation procedure is described in PROC09 – PT Evaluation *Procedure*, which is available on the PTC website www.PTCanada.org).

3.1 HOMOGENEITY AND STABILITY ASSESSMENT

Homogeneity and stability are assessed using participant data. Regression analysis is performed on reported result against order of sample production (Homogeneity) and reported result against date of analysis (Stability). If the slope is significantly different than zero for either then the Standard Deviation of Proficiency Assessment (s) is increased to minimize the impact.

3.2 THE Z SCORE

A "z-score" is calculated for each reported result as follows:

$$z-Score = \frac{(x-\bar{X})}{SDPA}$$
 where: $\frac{x=\text{participant result};}{\bar{X}=\text{ the Assigned Value};}$ SDPA = the Standard Deviation for Proficiency Assessment.

The assigned value \overline{X} is generally estimated from the inter-laboratory Robust mean after outliers due to obvious gross errors (e.g., reported in wrong units) have been removed.

The Standard Deviation for Proficiency Assessment, s, is determined as follows:

- The inter-laboratory Robust standard deviation (Stdev_{rob}) is calculated using reported results, obvious outliers removed;
- The regression equation standard deviation (Stdev_{reg}) is estimated from regression equations derived from previous studies (see PROC11- PT Regression Equations for details);
- The SDPA is the higher of Stdev_{rob} and Stdev_{reg};
- When a laboratory reports its detection limit, s will be estimated using a pooled variance procedure that uses both the inter-laboratory data and the reported detection limit.

3.2 COMPOSITE (PT) SCORE

Since each PT round involves four or two separate samples of distinct concentration for each test, it is necessary to calculate a composite PT score for each test to determine overall performance. The composite score is calculated by first averaging the absolute z-scores for the four results and then calculating a final score as $100 + (-15 \times avg |z|)$.

Acceptable PT Scores equal or exceed 70.

3.3 IDENTIFYING BIAS

The proficiency testing report provides flags for bias. These are determined using the re-scaled z-score procedure.

$$RSZ = \frac{\sum z}{\sqrt{N}}$$
 where z = the z- score
N = the number of samples

Flags are assigned for each test group/parameter combination as follows:

 $RSZ \ge -2$ and ≤ 2 no flag assigned RSZ > 2 H (High) RSZ > 3 VH (Very High) RSZ < -2 L (LOW) RSZ < -3 VL (Very Low)

3.4 DEVIATIONS FROM EVALUATION PROCEDURE

Other than changes to the Standard Deviation of Proficiency Assessment due to homogeneity or stability flags, any deviation from the published evaluation procedure is described on the cover page(s) of the final PTC Proficiency Testing Report.

4.0 PT Round Specific Data Summary

The following pages provide more detailed information about the PT round indicated in the cover page of this report than is found in the participant-specific PTC Proficiency Testing Report. The graphical representations and the statistical summaries are based upon the data after outliers have been removed.

4.1 SUMMARY STATISTICS

In addition to some of the statistics found in the customer reports, this table includes additional summary statistics such as Median, different measures of dispersion, the number of outliers removed, the number of results in the Questionable range (z > 3), and the Unacceptable range (z > 3), and whether a data set was flagged for Homogeneity or Stability. This section also includes sorted scatter plots of the data for each sample.

4.2 z-SCORE PLOTS

The z -scores for each sample are ranked in increasing order and plotted. When the data is normally distributed, the plot should show a slight sigmoidal curve, with an equal number of points above zero as below. Each bar in these plots is colour-coded to indicate the analytical method used by the participant.

4.3 KERNEL DENSITY PLOTS

Kernel density plots are generated for each data set. These plots are a graphical way to represent the overall data distribution and are used to visualize possible deviations from normality and unimodality.

4.4 STABILITY AND HOMOGENEITY PLOTS

Plots of reported result against analysis date, and reported result against order of bottling are displayed, along with the regression line. These regression analyses are used to determine if the SDPA should be adjusted due to homogeneity or stability.

4.5 BOX-AND-WHISKER PLOTS

Box-and-Whisker plots are another way to display the distribution of the data. The box denotes the first and third quartile and the whiskers are the 5^{th} and 95th percentile.

4.6 HISTORIC COMPARISON PLOT

The Historic Comparison Plot is a plot of robust mean against robust standard deviation for the previous ten PT rounds as well as the current PT round. This plot can be used to identify possible changes in the sample formulation.

1-BUTANOL (N-BUTANOL)


Summary Statistics

Summary Statistics	Excluded	Not Spiked		
Statistic	C73-1	C73-2	C73-3	C73-4
N	3	0	0	0
Median μg/g	3910			
Robust Mean μg/g	4360			
U µg/g	787			
Robust Standard Deviation μg/g	1090			
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) μg/g	1090			
Outliers	0	0	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0

Methods Used


Method	C73-1	C73-2	C73-3	C73-4
GC/MS (Blue)	3	0	0	0

All summary stats and the plots below are based on the data excluding any flagged outliers




1-BUTANOL (N-BUTANOL)


	Sorted Scatter Plots	Kernel Density Plots	z-Score Plots	
Sample 3				
Sample 4				



1-BUTANOL (N-BUTANOL)








1-PENTANOL

Summary Statistics


Statistic	C73-1	C73-2	C73-3	C73-4
N	5	4	0	0
Median µg/g	5890	6210		
Robust Mean μg/g	5980	6130		
U μg/g	604	694		
Robust Standard Deviation μg/g	1080	1110		
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/g	1080	1110		
Outliers	0	0	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0


Methods Used

Method	C73-1	C73-2	C73-3	C73-4
GC/MS (Blue)	3	3	0	0
GC/FID(Red)	2	1	0	0





1-PENTANOL






1-PENTANOL







1-PROPANOL (PROPANOL)


Summary Statistics

Excluded

Statistic	C73-1	C73-2	C73-3	C73-4
N	3	7	0	0
Median μg/g	600	6750		
Robust Mean μg/g	569	6530		
U μg/g	51.2	403		
Robust Standard Deviation μg/g	70.9	854		
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/g	70.9	854		
Outliers	0	0	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0


Methods Used

Method	C73-1	C73-2	C73-3	C73-4
GC/MS (Blue)	2	4	0	0
GC/FID(Red)	1	3	0	0





1-PROPANOL (PROPANOL)


	Sorted Scatter Plots	Kernel Density Plots	z-Score Plots	
Sample 3				
Sample 4				



1-PROPANOL (PROPANOL)







2-BUTANOL


Summary Statistics

Not Spiked


•				
Statistic	C73-1	C73-2	C73-3	C73-4
N	0	5	0	0
Median μg/g		6100		
Robust Mean μg/g		6030		
U μg/g		228		
Robust Standard Deviation µg/g		408		
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/g		408		
Outliers	0	0	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0


Methods Used

Method	C73-1	C73-2	C73-3	C73-4
GC/MS(Blue)	0	5	0	0





2-BUTANOL






2-BUTANOL








2-BUTANONE (METHYL ETHYL KETONE, MEK)

Summary Statistics Excluded Not Spiked


Statistic	C73-1	C73-2	C73-3	C73-4
N	4	0	0	0
Median µg/g	3590			
Robust Mean μg/g	3600			
U μg/g	414			
Robust Standard Deviation μg/g	663			
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/g	663			
Outliers	0	0	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0


Methods Used

Method	C73-1	C73-2	C73-3	C73-4
GC/MS(Blue)	4	0	0	0





2-BUTANONE (METHYL ETHYL KETONE, MEK)






2-BUTANONE (METHYL ETHYL KETONE, MEK)








2-PROPANOL (ISOPROPYL ALCOHOL)

Summary Statistics

Statistic	C73-1	C73-2	C73-3	C73-4
N	5	7	0	0
Median μg/g	1600	5410		
Robust Mean μg/g	1420	5150		
U μg/g	295	360		
Robust Standard Deviation μg/g	527	761		
Regression Standard Deviation μg/g				
Stability Flag		Stability		
Homogeneity Flag	Homogeneity			
Standard Deviation Used (SDPA) µg/g	1190	3200		
Outliers	0	0	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0


Methods Used

Method	C73-1	C73-2	C73-3	C73-4
GC/FID(Blue)	1	3	0	0
GC/MS(Red)	4	4	0	0





2-PROPANOL (ISOPROPYL ALCOHOL)


	Sorted Scatter Plots	Kernel Density Plots	z-Score Plots	
Sample 3				
Sample 4				



2-PROPANOL (ISOPROPYL ALCOHOL)







3-METHYL-1-BUTANOL


Summary Statistics

Not Spiked

Statistic	C73-1	C73-2	C73-3	C73-4
N	0	5	0	0
Median µg/g		6610		
Robust Mean μg/g		6840		
U μg/g		643		
Robust Standard Deviation µg/g		1150		
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/g		1150		
Outliers	0	0	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0


Methods Used

Method	C73-1	C73-2	C73-3	C73-4
GC/FID(Blue)	0	1	0	0
GC/MS(Red)	0	4	0	0





3-METHYL-1-BUTANOL


	Sorted Scatter Plots	Kernel Density Plots	z-Score Plots	
Sample 3				
Sample 4				



3-METHYL-1-BUTANOL







ACETONE (2-PROPANONE)


Summary Statistics

Not Spiked


Statistic	C73-1	C73-2	C73-3	C73-4
N	6	0	0	0
Median µg/g	2370			
Robust Mean μg/g	2530			
U μg/g	390			
Robust Standard Deviation μg/g	764			
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/g	764			
Outliers	0	0	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0


Methods Used

Method	C73-1	C73-2	C73-3	C73-4
GC/MS (Blue)	4	0	0	0
GC/FID(Red)	2	0	0	0




ACETONE (2-PROPANONE)






ACETONE (2-PROPANONE)







ANISOLE


Summary Statistics

Not Spiked


Statistic	C73-1	C73-2	C73-3	C73-4
N	5	0	0	0
Median µg/g	4430			
Robust Mean μg/g	4560			
U μg/g	632			
Robust Standard Deviation μg/g	1130			
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/g	1130			
Outliers	0	0	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0


Methods Used

Method	C73-1	C73-2	C73-3	C73-4
GC/MS(Blue)	5	0	0	0




ANISOLE






ANISOLE







BUTANE

Summary Statistics

Not S	piked	Not	Spiked
	P ::: C C		Opinico

Statistic	C73-1	C73-2	C73-3	C73-4
N	0	0	0	0
Median μg/g				
Robust Mean μg/g				
U μg/g				
Robust Standard Deviation μg/g				
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/g				
Outliers	1	0	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0

Methods Used

Method	C73-1	C73-2	C73-3	C73-4

	Sorted Scatter Plots	Kernel Density Plots	z-Score Plots	
7				
sample 2				
2				
Jai				


BUTANE


	Sorted Scatter Plots	Kernel Density Plots	z-Score Plots	
Sample 3				
Sample 4				

	Stability Assessment	Homogeneity Assessment
Sample 1		
Sample 2		
Sample 3		

BUTANE

	Stability Assessment	Homogeneity Assessment
Sample 4	Stability assessments are regression analysis of reported re	sult against date of analysis.
	Homogeneity assessments are regression analysis of report	ed result against bottling order.





BUTYL ACETATE


Summary Statistics

Not Spiked


Statistic	C73-1	C73-2	C73-3	C73-4
N	5	0	0	0
Median µg/g	5270			
Robust Mean μg/g	5400			
U μg/g	214			
Robust Standard Deviation μg/g	383			
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/g	383			
Outliers	0	0	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0


Methods Used

Method	C73-1	C73-2	C73-3	C73-4
GC/MS (Blue)	5	0	0	0





BUTYL ACETATE






BUTYL ACETATE







DIMETHYL SULFOXIDE

Summary Statistics

Not S	piked	Not:	Spiked
	PC.		5 p C G

Statistic	C73-1	C73-2	C73-3	C73-4
N	0	0	0	0
Median μg/g				
Robust Mean μg/g				
U μg/g				
Robust Standard Deviation μg/g				
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/g				
Outliers	0	0	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0

Methods Used

Method	C73-1	C73-2	C73-3	C73-4

	Sorted Scatter Plots	Kernel Density Plots	z-Score Plots	
7				
Sample 2				
am				
S				


DIMETHYL SULFOXIDE


	Sorted Scatter Plots	Kernel Density Plots	z-Score Plots
Sample 3			
Sample 4			

	Stability Assessment	Homogeneity Assessment
Sample 1		
Sample 2		
Sample 3		

DIMETHYL SULFOXIDE

	Stability Assessment	Homogeneity Assessment	
4			
sample			
San			
	Stability assessments are regression analysis of reported resu	ult against date of analysis.	
	Homogeneity assessments are regression analysis of reported	d result against bottling order.	





ETHANOL


Summary Statistics

Not Spiked


Statistic	C73-1	C73-2	C73-3	C73-4
N	5	0	0	0
Median µg/g	3910			
Robust Mean μg/g	3880			
U μg/g	396			
Robust Standard Deviation µg/g	708			
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag	Homogeneity			
Standard Deviation Used (SDPA) μg/g	1490			
Outliers	1	1	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0


Methods Used

Method	C73-1	C73-2	C73-3	C73-4
GC/MS (Blue)	4	0	0	0
GC/FID(Red)	1	0	0	0





ETHANOL






ETHANOL








ETHYL ACETATE

Summary Statistics


Statistic	C73-1	C73-2	C73-3	C73-4
N	6	5	0	0
Median µg/g	5560	2580		
Robust Mean μg/g	5370	2530		
U μg/g	215	366		
Robust Standard Deviation μg/g	422	654		
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/g	422	654		
Outliers	0	0	0	0
z >3.0	1	0	0	0
2< z <3	0	0	0	0


Methods Used

Method	C73-1	C73-2	C73-3	C73-4
GC/MS (Blue)	4	4	0	0
GC/FID(Red)	2	1	0	0





ETHYL ACETATE






ETHYL ACETATE







ETHYL ETHER


Summary Statistics

Not Spiked


•		•		
Statistic	C73-1	C73-2	C73-3	C73-4
N	5	0	0	0
Median µg/g	4940			
Robust Mean µg/g	8220			
U μg/g	4650			
Robust Standard Deviation µg/g	8320			
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/g	8320			
Outliers	0	0	0	0
z >3.0	1	0	0	0
2< z <3	0	0	0	0


Methods Used

Method	C73-1	C73-2	C73-3	C73-4
GC/MS (Blue)	5	0	0	0




ETHYL ETHER






ETHYL ETHER







HEPTANE


Summary Statistics

Not Spiked


•				
Statistic	C73-1	C73-2	C73-3	C73-4
N	0	5	0	0
Median µg/g		3470		
Robust Mean μg/g		3440		
U μg/g		1220		
Robust Standard Deviation µg/g		2180		
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/g		2180		
Outliers	1	0	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0


Methods Used

Method	C73-1	C73-2	C73-3	C73-4
GC/FID(Blue)	0	1	0	0
GC/MS(Red)	0	4	0	0





HEPTANE






HEPTANE







ISOBUTANOL (2-METHYL-1-PROPANOL)


Summary Statistics

Excluded

Statistic	C73-1	C73-2	C73-3	C73-4
N	3	4	0	0
Median μg/g	2740	7530		
Robust Mean μg/g	2940	7600		
U μg/g	546	1240		
Robust Standard Deviation μg/g	757	1980		
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/g	757	1980		
Outliers	0	0	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0


Methods Used

Method	C73-1	C73-2	C73-3	C73-4
GC/MS (Blue)	3	3	0	0
GC/FID(Red)	0	1	0	0





ISOBUTANOL (2-METHYL-1-PROPANOL)


	Sorted Scatter Plots	Kernel Density Plots	z-Score Plots	
Sample 3				
Sample 4				



ISOBUTANOL (2-METHYL-1-PROPANOL)







ISOBUTYL ACETATE


Summary Statistics

Not Spiked

Statistic	C73-1	C73-2	C73-3	C73-4
N	0	5	0	0
Median μg/g		6300		
Robust Mean μg/g		6270		
U μg/g		576		
Robust Standard Deviation μg/g		1030		
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) μg/g		1030		
Outliers	0	0	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0


Methods Used

Method	C73-1	C73-2	C73-3	C73-4
GC/MS(Blue)	0	5	0	0





ISOBUTYL ACETATE


	Sorted Scatter Plots	Kernel Density Plots	z-Score Plots	
Sample 3				
Sample 4				



ISOBUTYL ACETATE







ISOPROPYL ACETATE


Summary Statistics

Not Spiked

<u> </u>				
Statistic	C73-1	C73-2	C73-3	C73-4
N	0	6	0	0
Median µg/g		5820		
Robust Mean μg/g		6050		
U μg/g		602		
Robust Standard Deviation μg/g		1180		
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/g		1180		
Outliers	1	0	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0


Methods Used

Method	C73-1	C73-2	C73-3	C73-4
GC/MS (Blue)	0	5	0	0
GC/FID(Red)	0	1	0	0





ISOPROPYL ACETATE


	Sorted Scatter Plots	Kernel Density Plots	z-Score Plots	
Sample 3				
Sample 4				



ISOPROPYL ACETATE








METHYL ACETATE

Summary Statistics

Statistic	C73-1	C73-2	C73-3	C73-4
N	5	5	0	0
Median µg/g	3210	4670		
Robust Mean μg/g	3180	4610		
U μg/g	542	900		
Robust Standard Deviation μg/g	970	1610		
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/g	970	1610		
Outliers	0	0	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0


Methods Used

Method	C73-1	C73-2	C73-3	C73-4
GC/MS (Blue)	5	5	0	0





METHYL ACETATE


	Sorted Scatter Plots	Kernel Density Plots	z-Score Plots	
Sample 3				
Sample 4				



METHYL ACETATE








PENTANE

Summary Statistics


Statistic	C73-1	C73-2	C73-3	C73-4
N	4	4	0	0
Median µg/g	4330	2720		
Robust Mean μg/g	4660	2710		
U µg/g	1340	956		
Robust Standard Deviation μg/g	2140	1530		
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) μg/g	2140	1530		
Outliers	0	0	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0


Methods Used

Method	C73-1	C73-2	C73-3	C73-4
GC/MS(Blue)	4	4	0	0





PENTANE






PENTANE








PROPANE

Summary Statistics Not Spiked Excluded


	<u>-</u>			
Statistic	C73-1	C73-2	C73-3	C73-4
N	0	3	0	0
Median µg/g		3490		
Robust Mean μg/g		3440		
U μg/g		2050		
Robust Standard Deviation µg/g		2840		
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) μg/g		2840		
Outliers	0	0	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0


Methods Used

Method	C73-1	C73-2	C73-3	C73-4
GC/MS(Blue)	0	3	0	0





PROPANE






PROPANE








PROPYL ACETATE

Summary Statistics

Statistic	C73-1	C73-2	C73-3	C73-4
N	4	4	0	0
Median µg/g	5030	2890		
Robust Mean μg/g	5080	3020		
U μg/g	340	374		
Robust Standard Deviation μg/g	544	599		
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/g	544	599		
Outliers	1	1	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0


Methods Used

Method	C73-1	C73-2	C73-3	C73-4
GC/MS(Blue)	4	4	0	0





PROPYL ACETATE


	Sorted Scatter Plots	Kernel Density Plots	z-Score Plots	
Sample 3				
Sample 4				



PROPYL ACETATE







TRIETHYLAMINE

Summary Statistics

Not Spiked Not Spiked	Not S	piked	Not	Spiked
-----------------------	-------	-------	-----	--------

Statistic	C73-1	C73-2	C73-3	C73-4
N	0	0	0	0
Median μg/g				
Robust Mean μg/g				
U μg/g				
Robust Standard Deviation μg/g				
Regression Standard Deviation μg/g				
Stability Flag				
Homogeneity Flag				
Standard Deviation Used (SDPA) µg/g				
Outliers	0	1	0	0
z >3.0	0	0	0	0
2< z <3	0	0	0	0

Methods Used

Method	C73-1	C73-2	C73-3	C73-4

	Sorted Scatter Plots	Kernel Density Plots	z-Score Plots	
7				
sampie z				
am				
<i>^</i>				

TRIETHYLAMINE

	Sorted Scatter Plots	Kernel Density Plots	z-Score Plots	
Sample 3				
Sample 4				

	Stability Assessment Homogeneity Assessment	
Sample 1		
Sample 2		
Sample 3		

TRIETHYLAMINE

	Stability Assessment	Homogeneity Assessment	
4			
Sample			
S			
	Ctability apparents are represented appropriate of apparents of appare	It against data of analysis	
	Stability assessments are regression analysis of reported resu		
	Homogeneity assessments are regression analysis of reported	result against bottling order.	



